

Vento Sub 12



- Titanium-graphite low tone system
- 12" passive radiator
- Oval magnetic fabric cover
- 400 watt music power

€1,849.00 *









The modern look of the new Vento

The Vento Sub 12 is an elegant, powerful active subwoofer - perfectly matched in appearance and technology to the new Vento series. Thanks to its harmonious proportions, the Vento Sub 12, which is available in three different finishes, can be stylishly integrated into any living ambience. In its high-quality cabinet with fine real-wood veneers or lacquers in "high-gloss finish", it offers the deepest bass and high bass dynamics. The active front-firing subwoofer shines with the latest driver technology from Canton: its 308 mm subwoofer chassis with a highly rigid titanium graphite diaphragm and the equally large downfire passive diaphragm enable excellent bass performance with maximum precision. Equipped with bass management and SC technology, it offers clean, powerful bass - whether freestanding, near a wall or positioned in a corner. To ensure that the Vento Sub 12 doesn't lack reserves even at high levels, we equip the subwoofer with a stable power amplifier and our triple-folded Wave surround. The Vento Sub 12 is a precise bass specialist, ideal for classic hi-fi applications as well as for use in a home cinema system.





Noble subwoofer for film and music

With our potent Vento Sub 12 active subwoofer, you can conjure up a lively and authentic atmosphere in your home cinema. Thanks to the high-quality technical equipment and the meticulous fine-tuning in our laboratories, the Vento Sub 12 plays precisely and dynamically. Your favourite music gains power and liveliness, and in stereo mode you will also experience an increased spatiality of your connected speakers. In a multi-channel home cinema system, it flexes its muscles in a controlled manner and impresses here with marrow-shaking bass. At the same time, Canton SC technology protects the Vento Sub 12 from any overloads and ensures the lowest possible distortion. Thanks to its "room compensation circuit", which allows for a three-stage adjustment of the low-frequency reproduction, the Vento Sub 12 is particularly uncritical when it comes to positioning it in the room - this enables the elegant subwoofer to reproduce bass clearly and precisely at all times.

Features and technology

The Vento Sub 12 active subwoofer operates according to the bass reflex principle with a downfire passive radiator. To guarantee precise mechanical performance, it is equipped with a generously dimensioned drive unit including the latest generation of wave surround technology. Compared to conventional surrounds, the multi-folded wave surround allows for a much longer excursion and reduces sound distortion. The highlight is our latest Titanium Graphite diaphragm material. Down to 20 Hertz, the active subwoofer brings out the



deepest bass. The active module with digital power amplifier is equipped with high- and low-level inputs. Thanks to the DSP built into the Vento Sub 12 and its pre-programmed sound profiles, you can adjust the subwoofer exactly to the existing room acoustics and your personal listening habits.







Design

We've redesigned the look and feel of our Vento premium speaker range. Thanks to the modern design, with discreetly curved side panels, rounded cabinet edges and high-quality surfaces with a perfect finish, the new Vento speakers have a very self-assured appearance. The harmoniously proportioned premium speakers offer a perfect balance between noble appeal, timeless elegance and powerful performance. This allows the Vento models to be used universally - they are an enrichment for the most diverse living spaces. Perfectly integrated into this series is our new Vento Sub 12 subwoofer, which brings precise, deep bass into your listening room from its elegant cabinet. Its excellent technical features will delight audiophiles and fans of high dynamics alike.



Engineering Principle Bass reflex with passive radiator Nenn- / Musikleistung 250 / 400 watts Frequency response 20200 Hz Crossover frequency 50200 Hz (adjustable) Woofer 1 x 308 mm (12"), Titanium-graphite (Wave surround) 1 x 308 mm (12"), Passive radiator Connection 2 high level inputs (loudspeaker cable) 2 low level inputs (chinch) Features Adjustable volume Adjustable volume Adjustable crossover frequency Special Features SC-technology Oval fabric grill Warranty 5 Jahre Dimensions (WxHxD) 44 x 52,5 x 51 cm (17,3" x 20,7" x 20,1") Weight 7 Septic grill Power consumption 9,32 watt Vento Sub 12 Fabric grill Power chord Manual	Туре	subwoofer
Frequency response 20200 Hz Crossover frequency 50200 Hz (adjustable) Woofer 1 x 308 mm (12"), Titanium-graphite (Wave surround) 1 x 308 mm (12"), Passive radiator Connection 2 high level inputs (loudspeaker cable) 2 low level inputs (chinch) Automatic on/off switch Adjustable volume Adjustable phase limiter Adjustable crossover frequency Special Features SC-technology Oval fabric grill Warranty 5 Jahre Dimensions (WxHxD) 44 x 52,5 x 51 cm (17,3" x 20,7" x 20,1") Weight 31 kg Power consumption O,32 watt Vento Sub 12 Fabric grill Power chord	Engineering Principle	Bass reflex with passive radiator
Crossover frequency 50200 Hz (adjustable) Woofer 1 x 308 mm (12"), Titanium-graphite (Wave surround) 1 x 308 mm (12"), Passive radiator Connection 2 high level inputs (loudspeaker cable) 2 low level inputs (chinch) Automatic on/off switch Adjustable volume Adjustable phase limiter Adjustable phase limiter Adjustable crossover frequency Special Features SC-technology Oval fabric grill Warranty 5 Jahre Dimensions (WxHxD) 44 x 52,5 x 51 cm (17,3" x 20,7" x 20,1") Weight 31 kg Power consumption O,32 watt Vento Sub 12 Fabric grill Power chord	Nenn- / Musikleistung	250 / 400 watts
Woofer 1 x 308 mm (12"), Titanium-graphite (Wave surround) Connection 2 high level inputs (loudspeaker cable) 2 low level inputs (chinch) Features Automatic on/off switch Adjustable volume Adjustable phase limiter Adjustable phase limiter Adjustable crossover frequency Special Features SC-technology Oval fabric grill Warranty 5 Jahre Dimensions (WxHxD) 44 x 52,5 x 51 cm (17,3" x 20,7" x 20,1") Weight 31 kg Power consumption 0,32 watt Carton Content Vento Sub 12 Fabric grill Power chord	Frequency response	20200 Hz
Connection 2 high level inputs (loudspeaker cable) 2 low level inputs (chinch) Automatic on/off switch Adjustable volume Adjustable phase limiter Adjustable crossover frequency Special Features SC-technology Oval fabric grill Warranty 5 Jahre Dimensions (WxHxD) 44 x 52,5 x 51 cm (17,3" x 20,7" x 20,1") Weight Power consumption O,32 watt Vento Sub 12 Fabric grill Power chord	Crossover frequency	50200 Hz (adjustable)
Connection 2 low level inputs (chinch) Automatic on/off switch Adjustable volume Adjustable phase limiter Adjustable prossover frequency Special Features SC-technology Oval fabric grill Warranty 5 Jahre Dimensions (WxHxD) 44 x 52,5 x 51 cm (17,3" x 20,7" x 20,1") Weight 31 kg Power consumption 0,32 watt Carton Content Vento Sub 12 Fabric grill Power chord	Woofer	
Features Adjustable volume Adjustable phase limiter Adjustable crossover frequency Special Features SC-technology Oval fabric grill Warranty 5 Jahre Dimensions (WxHxD) 44 x 52,5 x 51 cm (17,3" x 20,7" x 20,1") Weight 7 Jahre Power consumption O,32 watt Vento Sub 12 Fabric grill Power chord	Connection	
Oval fabric grill Warranty 5 Jahre Dimensions (WxHxD) 44 x 52,5 x 51 cm (17,3" x 20,7" x 20,1") Weight 71 kg Power consumption O,32 watt Vento Sub 12 Fabric grill Power chord	Features	Adjustable volume Adjustable phase limiter
Dimensions (WxHxD) 44 x 52,5 x 51 cm (17,3" x 20,7" x 20,1") Weight 71 kg Power consumption 72 watt Vento Sub 12 Fabric grill Power chord	Special Features	
Weight 31 kg Power consumption 0,32 watt Vento Sub 12 Fabric grill Power chord	Warranty	5 Jahre
Power consumption O,32 watt Vento Sub 12 Fabric grill Power chord	Dimensions (WxHxD)	44 x 52,5 x 51 cm (17,3" x 20,7" x 20,1")
Vento Sub 12 Fabric grill Power chord	Weight	31 kg
Carton Content Fabric grill Power chord	Power consumption	O,32 Watt
	Carton Content	Fabric grill Power chord